



GCSE
COMBINED SCIENCE: SYNERGY
8465/4F

Foundation Tier Paper 4 Physical Sciences

Mark scheme

June 2024

Version: 1.0 Final



2 4 6 G 8 4 6 5 / 4 F / M S

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

No student should be disadvantaged on the basis of their gender identity and/or how they refer to the gender identity of others in their exam responses.

A consistent use of 'they/them' as a singular and pronouns beyond 'she/her' or 'he/him' will be credited in exam responses in line with existing mark scheme criteria.

Further copies of this mark scheme are available from aqa.org.uk

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2024 AQA and its licensors. All rights reserved.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the examiner make their judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent (for example, a scientifically correct answer that could not reasonably be expected from a student's knowledge of the specification).

2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**.
Alternative words in the mark scheme are shown by a solidus eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name **two** magnetic materials.

[2 marks]

Student	Response	Marks awarded
1	iron, steel, tin	1
2	cobalt, nickel, nail*	2

3.2 Use of symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, or uses symbols to denote quantities in a physics equation, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. At any point in a calculation students may omit steps from their working. If a subsequent step is given correctly, the relevant marks may be awarded.

Full marks are **not** awarded for a correct final answer from incorrect working.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

An error can be carried forward from one question part to the next and is shown by the abbreviation 'ecf'.

Within an individual question part, an incorrect value in one step of a calculation does not prevent all of the subsequent marks being awarded.

3.6 Phonetic spelling

Marks should be awarded if spelling is not correct but the intention is clear, **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

3.11 Numbered answer lines

Numbered lines on the question paper are intended to support the student to give the correct number of responses. The answer should still be marked as a whole.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and, if necessary, annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level.

The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this. The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do not have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	→		1	AO3 4.6.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2	upthrust		1	AO1 4.6.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3	the resultant force is zero		1	AO1 4.7.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	$W = 350 \times 9.8$		1	AO2 4.6.1.4
	$W = 3430 \text{ (N)}$		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	spring constant = $\frac{200}{1.60}$		1	AO2
	spring constant = 125		1	AO2
	N/m		1	AO1 4.6.1.6

Total Question 1	8
-------------------------	----------

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	the current in both components is the same	MP2 dependent on MP1	1	AO1 4.7.2.3
	(the components are) connected in series		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	210 (V)	allow 210 + 20 = 230 V MP2 dependent on MP1	1	AO2 4.7.2.3
	pd is shared (when components are connected in series) or total pd must add up to 230 (V)		1	


Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.3	power = $\frac{460\,000}{250}$		1	AO2 4.7.2.7
	power = 1840 (W)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	time = $\frac{1200}{8}$		1	AO2 4.7.2.8
	time = 150 (s)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	50 Hz		1	AO1 4.7.2.5

Total Question 2	9
-------------------------	----------

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1		allow any combination of x, ●, o, e ⁽⁻⁾ for electrons	1	AO1 4.6.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	$\text{H}_2 + \text{Cl}_2 \rightarrow 2\text{HCl}$		1	AO2 4.5.2.1 4.5.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	28.4 (g)		1	AO2 4.5.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	(covalent / single) bonds		1	AO1 4.6.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	NH_3		1	AO1 4.6.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.6	ammonia + hydrogen chloride \rightleftharpoons ammonium chloride	allow NH ₃ for ammonia allow HCl for hydrogen chloride allow NH ₄ Cl for ammonium chloride allow 1 mark for ammonia + hydrogen chloride \rightarrow ammonium chloride or allow 1 mark for \rightleftharpoons	2	AO1 AO2 4.5.2.1 4.7.4.8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.7	temperature		1	AO1 4.7.4.8

Total Question 3	8
-------------------------	----------

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	the gradient increases		1	AO2 4.7.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	the speed stayed the same		1	AO2 4.7.1.2


Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	distance = 450 (m)		1	AO2 4.7.1.2
	mean speed = $\frac{450}{12}$	allow a correct substitution using a value for distance in the range 445 m to 450 m	1	
	mean speed = 37.5 (m/s)	allow a correct calculation using a value for distance in the range 445 m to 450 m	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	weight stayed the same		1	AO1 4.7.1.4 4.6.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	air resistance increased		1	AO1 4.7.1.2 4.7.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	weight = air resistance		1	AO1 4.7.1.2 4.7.1.5

				4.7.1.4
--	--	--	--	---------

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.7			1	AO1 4.7.1.2 4.7.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.8	deceleration = $\frac{960}{64}$		1	AO2
	deceleration = 15		1	AO2
	m/s ²		1	AO1 4.7.1.6

Total Question 4	12
-------------------------	-----------

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	measuring cylinder		1	AO3 4.7.3.2
	stop clock		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2	universal (indicator paper / solution)	allow wide range (indicator paper / solution) do not accept litmus indicator / paper	1	AO1 4.7.3.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	pH probe / meter	ignore datalogger	1	AO3 4.7.3.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	carbon dioxide is produced or gas is produced		1	AO3 4.7.3.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.5	wear eye protection		1	AO2 4.7.3.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.6	7		1	AO1 4.7.3.4

Question	Answers	Mark	AO / Spec. Ref.
05.7	Level 2: The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	3–4	AO1 4.7.3.2 RPA17
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content filtration <ul style="list-style-type: none"> • filter mixture • using filter paper and a funnel • to remove excess calcium carbonate • collect solution / filtrate in an evaporating basin evaporation <ul style="list-style-type: none"> • heat the solution / filtrate (gently) • using a Bunsen burner and a water bath or using an electric heater • heat to crystallisation point or heat until half water gone • leave to cool (until crystals form) 		
Total Question 5		11	

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	metre rule	allow ruler allow tape measure	1	AO1 4.7.2.2 RPA16

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	straight line of best fit through origin		1	AO2 4.7.2.2 RPA16

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	20 (Ω)	allow an answer consistent with their line of best fit \pm half a small square	1	AO3 4.7.2.2 RPA16

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	the graph is a straight line which passes through the origin	allow the gradient is constant	1	AO3 4.7.2.2 RPA16
			1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	the temperature would increase	allow the wire would get hotter	1	AO3 4.7.2.2 RPA16

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.6	the resistance would increase		1	AO1 RPA16 4.7.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.7	a zero error		1	AO3 4.7.2.2 RPA16

Total Question 6	8
-------------------------	----------

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	(negative electrode) solid	ignore references to colour	1	AO3 4.7.5.3 RPA21
	(positive electrode) bubbles		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	copper is less reactive than hydrogen		1	AO2 4.7.5.3 RPA21

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	the mass (of copper produced) increased as the time increased		1	AO3 4.7.5.3 RPA21

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	300 (s)		1	AO3 4.7.5.3 RPA21

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	(concentration =) $\frac{3.2}{0.5}$ = 6.4 g/dm ³		1	AO2 4.5.2.6
			1	
			1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.6	(percentage =) $\frac{63.5}{159.5} \times 100$ = 39.8119... (%) = 39.8 (%)	allow a correctly calculated answer to 3 significant figures from an incorrect percentage calculation which uses the values in the question	1 1 1	AO2 4.5.2.3
Total Question 7			11	

Question 8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	bar magnet		1	AO1 4.6.3.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.2	the rods become magnetised	allow the rods become (induced) magnets ignore the rods are magnetic	1	AO3 4.6.3.1 4.6.3.4
	(and) the ends of the rods have the same magnetic poles (so repel each other)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.3	copper is not a magnetic material		1	AO1 4.6.3.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.4	(pole A) north and (pole B) south		1	AO3 4.6.3.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.5	the weight of the iron disc is 2.0 N		1	AO3 4.6.3.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.6	(the magnetic field surrounding) the electromagnet attracts the iron	allow magnetism is a non-contact force	1	AO2 4.6.3.4 4.6.1.1
	(increasing the current) increases the strength of the magnetic field	allow the magnetic flux density increases	1	
	(which) increases the (magnetic) force on the iron disc		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.7	line curving upwards above original line	a line which becomes vertical scores no marks	1	AO3 4.6.3.4
	line starts at 2.0 N	MP2 dependent on MP1	1	

Total Question 8	11
-------------------------	-----------

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	any two from: <ul style="list-style-type: none"> • volume of (sulfuric) acid • concentration of (sulfuric) acid • temperature (of sulfuric acid) • mass of metal • surface area of metal 	ignore amount of (sulfuric) acid allow pH (of sulfuric acid) ignore room temperature ignore amount of metal allow size of metal	2	AO3 4.7.3.1 4.7.4.2 4.7.4.3 4.7.5.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.2	(least reactive) copper iron zinc (most reactive) magnesium	allow Cu allow Fe allow Zn allow Mg	1	AO3 4.7.5.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	(test) burning splint		1	AO1 4.7.3.1 4.7.5.4
	(result) (hydrogen) burns with a pop sound	MP2 dependent on MP1	1	


Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	stopper (tightly fitted) and delivery tube (under measuring cylinder)		1	AO3 4.7.4.1 4.7.5.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.5	volume of hydrogen / gas (collected)	if no other mark awarded allow 1 mark for volume and time	1	AO3 4.7.4.1 4.7.5.1
	time taken to collect the hydrogen / gas		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.6	cm ³ /s		1	AO1 4.7.4.1 4.7.5.1

Total Question 9	9
-------------------------	----------

Question 10

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.1			1	AO1 4.7.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.2	the room temperature is 20 °C	allow no ice available	1	AO3 4.7.2.2

Question	Answers	Mark	AO / Spec. Ref.
10.3	Level 3: The method would lead to the production of a valid outcome. All key steps are identified and logically sequenced.	5–6	AO3 4.7.2.2
	Level 2: The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3–4	
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content		
	<ul style="list-style-type: none"> • vary the temperature of the thermistor • measure temperature (with a thermometer) • measure the current (from the ammeter) • measure potential difference (from the voltmeter) • use measurements to calculate resistance (using $V = I R$) • description of a suitable circuit • use a water bath to vary temperature • use an interval of 10 °C • use a range of 20 °C to 70 °C 		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.4	potential difference = current × resistance or $V = I R$		1	AO1 4.7.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.5	$R = 750 (\Omega)$		1	AO2 4.7.2.2
	$6.0 = I \times 750$	allow a correct substitution using a value of R in the range 740(Ω) to 760 (Ω)	1	
	$I = \frac{6.0}{750}$	allow a correct rearrangement using a value of R in the range 740 (Ω) to 760 (Ω)	1	
	$I = 0.0080 (A)$	allow an answer consistent with a value of R in the range 740(Ω) to 760 (Ω)	1	

Total Question 10	13
--------------------------	-----------